GOLDEN DRAGON CAPITAL

LMFP CATHODE MATERIAL

Market Research Report

Author: Brendan Jephcott

Date: December 2025




Table of Contents

Executive Summary 2
1.0 Introduction 14
1.1 Cathode Material Industry Development Trends 14
1.2 Structure of Phospho-Olivines 16
2.0 Lithium Manganese Iron Phosphate Cathode Material 17
2.1 Advantages of LMFP 20
2.1.1 Electrochemical Properties 20
2.1.2 Temperature Performance 21
2.1.3 Safety Performance 23
2.1.4 Life Cycle 23
2.2 Disadvantages of LMFP 24
2.2.1 Dual Voltage Platform 24
2.2.2 Low Electrical Conductivity 24
2.2.3 Fe/Mn Ratio 25
3.0 LMFP Processing Methods 26
3.1 Fe/Mn Ratio 26
3.2 Principal Processing Methods 30
3.3 Product Modification Enhancement Methods 37
3.3.1 Nanometerisation Modification Method 39
3.3.2 Carbon Coating Modification Method 40
3.3.3 Metal Ion Doping Modification Method 44
3.3.4 Compounding LMFP With Other Cathode Material 48
3.4.5 Solving Dual Voltage Platform 54
3.3.6 Solving Low Conductivity 54
3.3.7 Solving Specific Capacity, Stability and Cycle Performance 55
3.3.8 Optimising LMFP with Lithium Supplements 58
3.4 Cash Cost Analysis (1 USD ~ 7 CNY) 59
4.0 Commercialisation 63
4.1 LMFP Patent Protection 64
4.2 LMFP Industry Chain 64
5.0 Competitive Landscape 70
5.1 LMFP Cathode Material Companies 70
5.1.1 Shenzhen Dynanonic Co., Ltd 70
5.1.2 Ningbo Ronbay New Energy Technology Co., Ltd 72
5.1.3 Jiangsu Litai Lithium Energy Technology Co., Ltd 76
5.1.4 Chuangpus New Energy Group Co., Ltd 78
5.1.5 Jiangsu Hengchuang Nanotechnology Co., Ltd 79
5.1.6 Jiangsu Cnano Technology Co Ltd 81

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122
Email: brendan@goldendragoncapital.com
Website: www.goldendragoncapital.com

5.1.7 Hunan Yuneng New Energy Battery Material Co., Ltd 82
5.1.8 Beijing Dangsheng Material Technology Co., Ltd 83
5.1.9 Hubei Wanrun New Energy Technology Co., Ltd 85
5.1.10 Jiangsu Kuangchuang Nano Materials Technology Co., Ltd 86
5.2 LMFP Battery Companies 87
5.2.1 Contemporary Amperex Technology Co. Limited 87
5.2.2 Gotion High-tech Co., Ltd 89
5.2.3 BYD Auto Co., Ltd 91
5.2.4 CALB Group Co., Ltd 94
5.2.5 EVE Energy Co., Ltd 94
5.2.6 Farasis Energy, Inc. 95
5.2.7 Phylion Battery Co., Ltd 96
5.2.8 Tianneng Battery Group Co., Ltd 96
5.3 LMFP Electrolyte Companies 97
5.3.1 Guangzhou Tinci Materials Technology Co., Ltd 97
6.0 Market Size Forecast 98
6.1 LMFP Cathode Material Demand Forecast (1 USD ~ 7CNY) 98
Appendix 1: Jiangsu Qianyun High-Tech New Materials Co., Ltd 101
LMFP Cathode Material Project (Phase I: 100,000tpa) 102
References 111
Disclaimer 116

Figures

Figure 1: China Installed Capacity of Ternary Batteries and LFP Batteries (GWh) 15
Figure 2: Changes in BYD LFP battery system energy density (Wh/kg) 15
Figure 3: Milestones in the development of LMFP 16
Figure 4: LMFP schematic of the crystal structure 17
Figure 5: LMFP cathode material charge and discharge curves 17
Figure 6: Schematic structural diagram of olivine-type $LiFe_{0.5}Mn_{0.5}PO_4$ 18
Figure 7: LMFP cathode material powder used in lithium-ion batteries 19
Figure 8: Radar plots of LMFP vs mainstream cathode material types 19
Figure 9: Discharge profiles of $LiMPO_4$ (M = Fe, Mn, Ni, Co) olivines and $LiFe_{0.5}Mn_{0.5}PO_4$ solid solution as cathodes of Li-ion batteries. 21
Figure 10: Olivine vs layered crystal structure 21
Figure 11: Shenzhen Dynanonic Co., Ltd — LFP low temperature performance discharge curve 22
Figure 12: Tianjin Skoland Technology Co., Ltd — LMFP64 low temperature performance discharge curve 22
Figure 13: Comparison of capacity retention rates of different cathodes at low temperature (-20°C) 22
Figure 14: Tianjin Skoland Technology Co., Ltd — LMFP product cycle graph 23
Figure 15: Shenzhen Dynanonic Co., Ltd — LFP product cycle graphs 23
Figure 16: LMFP charge and discharge curves with two voltage platforms 24
Figure 17: Jahn-Teller distortion effect 26
Figure 18: LMFP discharge curves with different manganese-iron ratios 27
Figure 19: LMFP charge-discharge voltage curves with different ratios of manganese to iron 27
Figure 20: Comparison of LFMP life cycles under different ratios of manganese and iron at 1C 27
Figure 21: Comparison of LFMP life cycles under different ratios of manganese and iron at 0.1C 28
Figure 22: LMFP specific capacity and energy density curves with different manganese-iron ratios 28
Figure 23: Comparison and speculation on performance of different iron to manganese ratios 29
Figure 24: Skoland Technology — Solid-phase processing flowsheet method 31
Figure 25: CATL — Hydrothermal processing flowsheet method 32
Figure 26: Shenzhen Dynanonic — Sol-gel processing flowsheet method 32
Figure 27: Shenzhen Dynanonic — Carbon coated LMFP processing flowsheet method 32
Figure 28: Litai Lithium — Co-precipitation processing flowsheet method 33
Figure 29: Litai lithium — LMFP precursor hypergravity rotating bed processing flowsheet method 33
Figure 30: Gotion — LFP/carbon-coated core-shell LMFP composite processing flowsheet method 33
Figure 31: LMFP nanosized particles 39
Figure 32: Capacity retention rate of LMFP with different particle sizes at low temperature (-20°C) 40
Figure 33: Tianjin Skoland Technology Co., Ltd — Nanometerisation modification method flowsheet 40
Figure 34: LMFP $LiMn_{0.6}Fe_{0.4}PO_4$@C modification method 41
Figure 35: Carbon coated principal processing flowsheets 42
Figure 36: Litai Lithium — Carbon coating modification method flowsheet 42
Figure 37: Improved chemical properties using carbon coating modification 42
Figure 38: Cycle life curves of LMFP material under different carbon content 43
Figure 39: Rate characteristics of LMFP with different doping materials 44
Figure 40: Cycle life and specific capacity of LMFP with different doping materials at 40℃ 44
Figure 41: Schematic of the structure of LiMPO4 (M=Mn, Fe, Li ion path dashed yellow circles) 45
Figure 42: Li—O bond length in LiO_6 octahedra of $LiFe_{0.5}Mn_{0.5}PO_4$ and doped $LiFe_{0.48}Mn_{0.48}Mg_{0.04}PO_4$ structure 45
Figure 43: First charge/discharge curves of $LiFe_{0.5}Mn_{0.5}PO_4$ & Mg doped $LiFe_{0.48}Mn_{0.48}Mg_{0.04}PO_4$ at C/10 rate 46
Figure 44: Discharge curves of undoped LMFP at different C rate 47
Figure 45: Discharge curves of Mg-doped LMFP at different C rate 47
Figure 46: Vanadium doping improves cycling performance 48
Figure 47: Comparison of physical properties 49
Figure 48: Compounding ternary materials with LMFP can increase thermal stability 50
Figure 49: Composite battery comparison of safety testing 50
Figure 50: Shenzhen Dynanonic LMFP-ternary composite principal processing flowsheet 51

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122
Email: brendan@goldendragoncapital.com
Website: www.goldendragoncapital.com

Figure 51: Litai Lithium — LMFP-ternary composite material performance 51
Figure 52: First charge-discharge curve of LMFP without carbon coating 57
Figure 53: First charge-discharge curve of the carbon-coated LMFP 57
Figure 54: Discharge cycle curves of LMFPs prepared with different carbon coating amounts at 1C current density 57
Figure 55: Comparison of charge-discharge cycle curves of coin cell battery with gradient structure a (carbon coating) / core-shell structure b (shell material is carbon) LMFP 58
Figure 56: Comparison of rate performance of coin cell battery with gradient structure a (carbon coating) / core-shell structure b (shell material is carbon) LMFP 58
Figure 57: First cycle charge-discharge curves of LMFP and LMFP with excess lithium 59
Figure 58: Number of LMFP patents registered per year 64
Figure 59: LMFP industry chain — Cathode material manufacturers (left), Battery manufacturers (right) 64
Figure 60: Appearance of Niu's electric vehicle GOVA F0 67
Figure 61: Chery and Huawei Luxeed S7 EV sedan 68
Figure 62: Chery EXEED Sterra ES sedan 68
Figure 63: Unit cost (1 USD ~ 7 CNY) of different cathode materials (Orient Securities 31/07/23) 69
Figure 64: CATL battery system price trend (1 USD ~ 7 CNY) (Orient Securities 31/07/23) 70
Figure 65: Shenzhen Dynanonic — Sol-gel processing flowsheet method 70
Figure 66: Shenzhen Dynanonic — Carbon coated LMFP processing flowsheet method 70
Figure 67: Shenzhen Dynanonic — LMFP cathode material product images 71
Figure 68: Skoland Technology — Solid-phase processing flowsheet method 73
Figure 69: Tianjin Skoland — M6P (LMFP coated NCM) composite material discharge curve 74
Figure 70: Tianjin Skoland — M6P (LMFP & NCM with LMFP coated NCM) composite material image 74
Figure 71: Litai Lithium — Co-precipitation processing flowsheet method 77
Figure 72: Litai lithium — LMFP precursor hypergravity rotating bed processing flowsheet method 77
Figure 73: Litai Lithium — LMFP cathode material, pure use (left) composite (right) images 77
Figure 74: Chuangpus — LMFP cathode material image 79
Figure 75: Hengchuang Nano — LMFP cathode material capacity retention indicators 80
Figure 76: Hengchuang Nano — LMFP cathode material capacity indicators 80
Figure 77: Hengchuang Nano — LMFP cathode material images 81
Figure 78: Tiannai Technology — Carbon nanotube product images 82
Figure 79 : Yuneng New Energy — LMFP product indicators and image 83
Figure 80: Dangsheng Technology — LMFP product indicators 84
Figure 81: Dangsheng Technology — LMFP product image 85
Figure 82: Wanrun New Energy — LMFP product indicators 86
Figure 83: Wanrun New Energy — LMFP product image 86
Figure 84: CATL — M3P battery material system 88
Figure 85: CATL — Patent applications related to LMFP cathode material (as of June 2023) 88
Figure 86: GOTION — L600 Astroinno battery cell 91
Figure 87: GOTION — Astroinno battery pack 91
Figure 88: BYD — LMFP related patent applications 92
Figure 89: CALB — OS high manganese lithium iron product indicators 94
Figure 90: Hubei Jinquan New Materials Co., Ltd — LMFP cathode material 95
Figure 91: China's NIU smart electric scooter F0 uses the TP-MAX LMFP battery 97
Figure 92: Monthly output of LMFP in China 2023-2024 99
Figure 93: LMFP average price in 2024 99
Figure 94: Global LMFP cathode shipment and forecast 2023 – 2030 (x10,000 tonne) 100

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122
Email: brendan@goldendragoncapital.com
Website: www.goldendragoncapital.com

Tables

Table 1: Comparison of BYD e6 performance parameters....14
Table 2: Material properties of LMFP corresponding to different manganese to iron ratios....18
Table 3: Comparison of mainstream cathode materials....20
Table 4: Comparison of conductivity and lithium-ion diffusion coefficient in main cathode materials....25
Table 5: Relationship between the performance of LMFP and the manganese doping ratio....26
Table 6: Comparison and speculation on performance of different iron to manganese ratios....29
Table 7: LMFP cathode material principal production process flowsheets....30
Table 8: LMFP cathode material companies using the solid-phase method....31
Table 9: LMFP cathode material companies using the liquid-phase method....31
Table 10: Specific capacities of products produced by different preparation methods of core enterprises....33
Table 11: Comparison of LMFP solid phase processing methods....34
Table 12: Comparison of LMFP liquid phase processing methods....35
Table 13: LMFP theoretical dosage calculations....36
Table 14: LMFP cathode material companies using liquid phase method....36
Table 15: LMFP cathode material disadvantages and solutions....37
Table 16: LMFP cathode material modification methods and principles....38
Table 17: LMFP cathode material modification methods adopted by different companies....38
Table 18: LMFP company patents related to LMFP modification methods....38
Table 19: LMFP modification related patents....39
Table 20: Comparison of the first charge-discharge specific capacity of doped/undoped magnesium....46
Table 21: Discharge capacity (mAh/g) of Mg-doped/undoped LMFP at different rate performance....46
Table 22: Vanadium Doping Improves Conductivity....47
Table 23: Advantages of LMFP composite material....48
Table 24: Comparison of physical properties....49
Table 25: Composite battery comparison of safety testing....50
Table 26: Shenzhen Dynanonic Co., Ltd Nano-LMFP ternary composite material product indicators....51
Table 27: Compound modification method of major cathode companies....52
Table 28: Ronbay Technology — LMFP-Ternary compound products....52
Table 29: Skoland — LMFP-Ternary compound products....52
Table 30: Comparison of electrochemical performance of different ratios....53
Table 31: Technical route of compound ternary in some companies....53
Table 32: Comparison of battery performance of different implementations/comparative examples....54
Table 33: Performance comparison of LMFP and NCM composite LMFP....55
Table 34: Difference between core-shell structure and concentration gradient....55
Table 35: Comparison of electrochemical performance with different/with and without core-shell structures....56
Table 36: Comparison of specific capacity of each group....56
Table 37: Liquid phase method unit cost calculation (Soochow Securities 16/08/23)....60
Table 38: Cash cost calculation of LMFP liquid phase method raw materials (Soochow Securities 16/08/23)....60
Table 39: Calculation of unit construction cost by liquid phase method (Soochow Securities 16/08/23)....60
Table 40: Solid phase method unit cost calculation (Soochow Securities 16/08/23)....61
Table 41: Calculation of unit construction cost using solid phase method (Soochow Securities 16/08/23)....61
Table 42: BOM cost calculation comparison of LFP and LMFP batteries (Soochow Securities 16/08/23)....62
Table 43: LMFP commercial application direction....63
Table 44: Commercial applications for LMFP batteries....63
Table 45: Operational status of LMFP cathode material companies in China....65
Table 46 : Operational status of LMFP battery companies in China....67
Table 47: Electric vehicle GOVA F0 power system parameters....67
Table 48: Chery EV sedan power system parameters....68
Table 49: Shenzhen Dynanonic — LMFP business progress....71
Table 50: Shenzhen Dynanonic — LMFP cathode material product introduction....71
Table 51: Shenzhen Dynanonic — Selected LMFP related patents....71

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122
Email: brendan@goldendragoncapital.com
Website: www.goldendragoncapital.com

Table 52: Tianjin Skoland — LMFP business progress 73
Table 53: Tianjin Skoland — LMFP product indicators 73
Table 54: Tianjin Skoland Technology Co., Ltd — Selected LMFP related patents 74
Table 55: Litai Lithium — LMFP cathode material patents 77
Table 56: Litai Lithium — Selected LMFP related patents 78
Table 57: Chuangpus — LMFP cathode material patent 78
Table 58: Hengchuang Nano — LMFP cathode material indicators 79
Table 59: Tiannai Technology — LMFP business progress 81
Table 60: Yuneng New Energy — LMFP business progress 82
Table 61: Yuneng New Energy — LMFP Production Capacity Base 83
Table 62: Yuneng New Energy — LMFP product 83
Table 63: Dangsheng Technology — LMFP Business progress 84
Table 64: Dangsheng Technology — LMFP Product indicators 84
Table 65: Wanrun New Energy — LMFP cathode material product progress 85
Table 66: CATL — M3P battery 87
Table 67: CATL — Early LMFP related patents 88
Table 68: Selected CATL lithium manganese iron phosphate invention patents 89
Table 69: Gotion — L600 Astroinno LMFP battery 90
Table 70: Gotion — L600 Astroinno LMFP battery specifications 90
Table 71: BYD — Composite route patent 92
Table 72: BYD — Pure-use route patent 92
Table 73: BYD — Early LMFP related patents 93
Table 74: Selected BYD lithium manganese iron phosphate invention patents 93
Table 75: CALB — OS High-Mn LFP battery 94
Table 76: EVE Energy — LMFP cathode and battery 95
Table 77: Farasis Energy — LMFP battery 95
Table 78: Phylion Battery — LMFP battery 96
Table 79: Tianneng Battery — LMFP battery 97
Table 80: LMFP bus battery electrolyte 97
Table 81: LMFP base station energy storage battery electrolyte 98

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122
Email: brendan@goldendragoncapital.com
Website: www.goldendragoncapital.com