GOLDEN DRAGON CAPITAL

NdFeB MAGNET GRAIN BOUNDARY DIFFUSION

Industry Research Report

Author: Brendan Jephcott

Date: May 2026




Table of Contents

Executive Summary 2
1.0 Introduction to NdFeB Production Process 6
1.1 NdFeB magnet product performance indicators 8
1.2 NdFeB Magnet Product Grades and Applications 9
1.2 HREE use in NdFeB Magnets 11
1.3 Lingering problem is that HREE are rare and expensive 12
2.0 GBD used to reduce HREE consumption 17
2.0 GBD Processing Methods 24
2.1 Dysprosium vs terbium substitution 26
2.2 GBD diffusion depth limitations and magnet thickness constraints 28
2.3 Core-shell microstructure formation mechanisms 29
2.4 Dy and Tb concentration gradients & spatial distribution 30
2.5 Temperature-dependent GBD parameters & heat treatment 31
2.6. Diffusion source: fluorides vs hydrides vs oxides vs metallic HREES 32
2.7 Anti-ferromagnetic coupling effects and remanence preservation 33
2.8 Oxygen contamination effects and atmospheric control 34
2.9 Grain boundary phase composition, thickness, and magnetic isolation 35
2.10 Non-uniform diffusion & selective area GBD cost optimisation 35
3.0 Commercialisation and Competitive Landscape 37
3.1 China 38
3.2 Japan 44
3.3 South Korea 48
3.4 United States 48
3.5 Europe 49
4.0 Market outlook and impact on HREE 52
4.1 Impact on HREE market 54
References 56
Disclaimer 69

Figures

Figure 1: NdFeB permanent magnet product series samples (illustrative) 6
Figure 2: Sintered NdFeB magnet principal production processing flowsheet 6
Figure 3: NdFeB magnetic properties and grades 9
Figure 4: Schematic of the microstructure in sintered NdFeB magnets 11
Figure 5: Global mineral deposits map 13
Figure 6: Global HREE terbium mineral reserves (by country) 14
Figure 7: Dysprosium Oxide (Dy_2O_3, 99.5%) spot pricing in 2015 to 2026 16
Figure 8: Terbium Oxide (Tb_4O_7, 99.5%) spot pricing in 2015 to 2026 16
Figure 9: Coercivity and magnetisation versus Dy and Tb atomic percent in $Nd_{33}Fe_{67}$ melt-spun alloys 17
Figure 10: NdFeB grade classifications: Max operating temperature and HREE dependency 18
Figure 11: Schematic diagram of NdFeB phase, grain boundary, and diffusion source 19
Figure 12: Schematic diagram of GBC treatment process 20
Figure 13: Dispersants containing HREE have a significant effect on improving coercivity of NdFeB 21
Figure 14: Comparison of magnetic properties before and after GBD treatment (SDM Magnetics) 21
Figure 15: Schematic diagram of grain boundary structure and GBD in sintered NdFeB magnets 22
Figure 16: GBD agent coating in production and diffusion effects of different HREE diffusing agents 22
Figure 17: Combination of GBD and existing sintering processes 23
Figure 18: HREE content per magnet by production technology 25
Figure 19: HREE content per magnet by production technology (Index: Bulk = 100) 25
Figure 20: Anisotropy field comparison 27
Figure 21: Dy-Tb cost-performance trade-off 27
Figure 22: Dy concentration gradient from surface 28
Figure 23: GBD coercivity enhancement vs depth 29
Figure 24: Core-shell thickness optimisation 30
Figure 25: GBD Temperature window quality score 32
Figure 26: Diffusion source selection: fluorides Vs hydrides Vs oxides vs metallic HREES 33
Figure 27: TDK HREE-free NdFeB magnets 44
Figure 28: Magnetic property map for high-performance HREE-free neodymium sintered magnet 46
Figure 29: Global high-performance NdFeB consumption (2018 to 2028E) 52
Figure 30: Dysprosium and Terbium spot prices (2024 to 2026) 54

Tables

Table 1: Sintered NdFeB magnet principal production processing steps 7
Table 2: Main performance indicators required for magnetic materials 8
Table 3: NdFeB magnet working temperature grades 9
Table 4: Summary of sintered NdFeB magnet product indicators 10
Table 5: Performance indicators of leading sintered NdFeB permanent magnet producers 11
Table 6: Key Dy/Tb-bearing deposits by region 12
Table 7: Terbium/HREE reserve base share by country (USGS 2024) 13
Table 8: Projected supply-demand gap (2030) 13
Table 9: NdFeB grade specifications, HREE dependency, and key commercial applications 19
Table 10: Application-specific grade requirements and HREE characteristics 23
Table 11: GBD vs conventional bulk alloying: performance and cost comparison 24
Table 12: Mainstream GBD processing methods 26
Table 13: Dy vs Tb comparison 26
Table 14: GBD diffusion depth 28
Table 15: HREE diffusion sources 30
Table 16: Concentration gradients & spatial distribution 31
Table 17: Temperature-dependent GBD parameters & heat treatment 32
Table 18: Anti-ferromagnetic coupling effects and remanence preservation 34
Table 19: GBD shell thickness 35
Table 20: GBD vs conventional bulk alloying: full commercial comparison 36
Table 21: NdFeB Grade HREE Dependency and GBD Relevance 37
Table 22: GBD competitive landscape 37
Table 23: China rare earth export control timeline (2023 to 2025) 38
Table 24: JL MAG GBD metrics vs industry 40
Table 25: JL MAG — GBD core technologies 40
Table 26: Dy-free type NEOREC50BF and NEOREC47HF 45
Table 27: HREE-saving technology and the heavy-rare-earth-free technology of Proterial 47
Table 28: GBD effects in VACODYM/VACOMAX 51
Table 29: Key high-performance NdFeB demand drivers 52
Table 30: HREE market key metrics — dysprosium vs terbium 55