

The background of the cover is a high-magnification microscopic image of a cathode material surface, showing a complex, layered, and porous structure. The image is overlaid with several large, semi-transparent geometric shapes: a large grey triangle pointing downwards from the top left, a large white triangle pointing upwards from the bottom left, and a large grey triangle pointing upwards from the bottom right. These shapes intersect to create a dynamic, abstract composition.

LMFP Cathode Material Market Research Report

Date: May, 2024

Author: Brendan Jephcott

Prepared by:

GOLDEN DRAGON CAPITAL

Table of Contents

Executive Summary	2
1.0 Introduction	14
1.1 Cathode Material Industry Development Trends	14
1.2 Structure of Phospho-Olivines	16
2.0 Lithium Manganese Iron Phosphate Cathode Material	16
2.1 Advantages of LMFP	21
2.1.1 Electrochemical Properties	21
2.1.2 Temperature Performance	22
2.1.3 Safety Performance	23
2.1.4 Life Cycle	23
2.2 Disadvantages of LMFP	24
2.2.1 Dual Voltage Platform	24
2.2.2 Low Electrical Conductivity	25
2.2.3 Fe/Mn Ratio	26
3.0 LMFP Processing Methods	27
3.1 Fe/Mn Ratio	27
3.2 Principal Processing Methods	30
3.3 Product Modification Enhancement Methods	39
3.3.1 Nanometerisation Modification Method	40
3.3.2 Carbon Coating Modification Method	42
3.3.3 Metal Ion Doping Modification Method	46
3.3.4 Compounding LMFP With Other Cathode Material	50
3.3.5 Solving Dual Voltage Platform	56
3.3.6 Solving Low Conductivity	56
3.3.7 Solving Specific Capacity, Stability and Cycle Performance	57
3.3.8 Optimising LMFP with Lithium Supplements	60
3.4 Cash Cost Analysis (1 USD ~ 7 CNY)	62
4.0 Commercialisation	65
4.1 LMFP Patent Protection	66
4.2 LMFP Industry Chain	66
5.0 Competitive Landscape	72
5.1 LMFP Cathode Material Companies	72
5.1.1 Shenzhen Dynanonic Co., Ltd	72
5.1.2 Ningbo Ronbay New Energy Technology Co., Ltd	74
5.1.3 Jiangsu Litai Lithium Energy Technology Co., Ltd	77
5.1.4 Chuangpus New Energy Group Co., Ltd	79
5.1.5 Jiangsu Hengchuang Nanotechnology Co., Ltd	80
5.1.6 Jiangsu Cnano Technology Co Ltd	82

GOLDEN DRAGON CAPITAL

5.1.7	Hunan Yuneng New Energy Battery Material Co., Ltd.....	83
5.1.8	Beijing Dangsheng Material Technology Co., Ltd	84
5.1.9	Hubei Wanrun New Energy Technology Co., Ltd.....	86
5.2	LMFP Battery Companies.....	88
5.2.1	Contemporary Amperex Technology Co. Limited	88
5.2.2	Gotion High-tech Co., Ltd	90
5.2.3	BYD Auto Co., Ltd.....	91
5.2.4	CALB Group Co., Ltd	93
5.2.5	EVE Energy Co., Ltd.....	94
5.2.6	Farasis Energy, Inc.	95
5.2.7	Phylion Battery Co., Ltd	95
5.2.8	Tianneng Battery Group Co., Ltd	96
5.3	LMFP Electrolyte Companies	97
5.3.1	Guangzhou Tinci Materials Technology Co., Ltd	97
6.0	Market Size Forecast	98
6.1	LMFP Cathode Material Demand Forecast (1 USD ~ 7CNY).....	98
	References.....	100
	Disclaimer	104

GOLDEN DRAGON CAPITAL LIMITED

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122

Email: brendan@goldendragoncapital.com

Website: www.goldendragoncapital.com

Table of Figures

Figure 1: BYD — e6 taxi	14
Figure 2: China Installed Capacity of Ternary Batteries and LFP Batteries (GWh)	15
Figure 3: Changes in BYD LFP battery system energy density (Wh/kg)	15
Figure 4: LMFP schematic of the crystal structure	16
Figure 5: LMFP cathode material charge and discharge curves	17
Figure 6: Schematic structural diagram of olivine-type $\text{LiFe}_{0.5}\text{Mn}_{0.5}\text{PO}_4$	18
Figure 7: LMFP cathode material powder used in lithium-ion batteries	18
Figure 8: Radar plots of LMFP vs mainstream cathode material types	19
Figure 9: Discharge profiles of LiMPO_4 (M = Fe, Mn, Ni, Co) olivines and $\text{LiFe}_{0.5}\text{Mn}_{0.5}\text{PO}_4$ solid solution as cathodes of Li-ion batteries.	21
Figure 10: Olivine vs layered crystal structure	22
Figure 11: Shenzhen Dynanonic Co., Ltd — LFP low temperature performance discharge curve.....	22
Figure 12: Tianjin Skoland Technology Co., Ltd — LMFP64 low temperature performance discharge curve.....	23
Figure 13: Comparison of capacity retention rates of different cathodes at low temperature (-20°C)	23
Figure 14: Tianjin Skoland Technology Co., Ltd — LMFP product cycle graph	24
Figure 15: Shenzhen Dynanonic Co., Ltd — LFP product cycle graphs	24
Figure 16: LMFP charge and discharge curves with two voltage platforms	25
Figure 17: Jahn-Teller distortion effect.....	26
Figure 18: LMFP discharge curves with different manganese-iron ratios.....	27
Figure 19: LMFP charge-discharge voltage curves with different ratios of manganese to iron	28
Figure 20: Comparison of LFMP life cycles under different ratios of manganese and iron at 1C	28
Figure 21: Comparison of LFMP life cycles under different ratios of manganese and iron at 0.1C	28
Figure 22: LMFP specific capacity and energy density curves with different manganese-iron ratios	29
Figure 23: Comparison and speculation on performance of different iron to manganese ratios	29
Figure 24: Skoland Technology — Solid-phase processing flowsheet method.....	32
Figure 25: CATL — Hydrothermal processing flowsheet method.....	32
Figure 26: Shenzhen Dynanonic — Sol-gel processing flowsheet method	32
Figure 27: Shenzhen Dynanonic — Carbon coated LMFP processing flowsheet method	33
Figure 28: Litai Lithium — Co-precipitation processing flowsheet method	33
Figure 29: Litai lithium — LMFP precursor hypergravity rotating bed processing flowsheet method	33
Figure 30: Gotion — LFP/carbon-coated core-shell LMFP composite processing flowsheet method.....	33
Figure 31: LMFP nanosized particles.....	41
Figure 32: Capacity retention rate of LMFP with different particle sizes at low temperature (-20°C)	41
Figure 33: Tianjin Skoland Technology Co., Ltd — Nanometerisation modification method flowsheet.....	42
Figure 34: LMFP $\text{LiMn}_{0.6}\text{Fe}_{0.4}\text{PO}_4@C$ modification method	43
Figure 35: Carbon coated principal processing flowsheets	43
Figure 36: Litai Lithium — Carbon coating modification method flowsheet	44
Figure 37: Improved chemical properties using carbon coating modification	44
Figure 38: Cycle life curves of LMFP material under different carbon content	45
Figure 39: Rate characteristics of LMFP with different doping materials.....	46
Figure 40: Cycle life and specific capacity of LMFP with different doping materials at 40°C	46
Figure 41: Schematic diagram of the structure of LiMPO_4 (M=Mn, Fe, Li ion path dashed yellow circles)	47
Figure 42: Li—O bond length in LiO_6 octahedra of $\text{LiFe}_{0.5}\text{Mn}_{0.5}\text{PO}_4$ and doped $\text{LiFe}_{0.48}\text{Mn}_{0.48}\text{Mg}_{0.04}\text{PO}_4$ structure	47
Figure 43: First charge/discharge curves of $\text{LiFe}_{0.5}\text{Mn}_{0.5}\text{PO}_4$ & Mg doped $\text{LiFe}_{0.48}\text{Mn}_{0.48}\text{Mg}_{0.04}\text{PO}_4$ at C/10 rate..	48
Figure 44: Discharge curves of undoped LMFP at different C rate	49
Figure 45: Discharge curves of Mg-doped LMFP at different C rate	49
Figure 46: Vanadium doping improves cycling performance.....	50
Figure 47: Comparison of physical properties	51
Figure 48: Compounding ternary materials with LMFP can increase thermal stability	52
Figure 49: Composite battery comparison of safety testing	52
Figure 50: Shenzhen Dynanonic LMFP-ternary composite principal processing flowsheet	53
Figure 51: Litai Lithium — LMFP-ternary composite material performance	53
Figure 52: First charge-discharge curve of LMFP without carbon coating	59

GOLDEN DRAGON CAPITAL

Figure 53: First charge-discharge curve of the carbon-coated LMFP	59
Figure 54: Discharge cycle curves of LMFPs prepared with different carbon coating amounts at 1C current density.....	59
Figure 55: Comparison of charge-discharge cycle curves of coin cell battery with gradient structure a (carbon coating) / core-shell structure b (shell material is carbon) LMFP	60
Figure 56: Comparison of rate performance of coin cell battery with gradient structure a (carbon coating) / core-shell structure b (shell material is carbon) LMFP	60
Figure 57: First cycle charge-discharge curves of LMFP and LMFP with excess lithium	61
Figure 58: Number of LMFP patents registered per year	66
Figure 59: LMFP industry chain — Cathode material manufacturers (left), Battery manufacturers (right)	66
Figure 60: Appearance of Niu's electric vehicle GOVA F0	69
Figure 61: Chery and Huawei Luxeed S7 EV sedan	70
Figure 62: Chery EXEED Sterra ES sedan	70
Figure 63: Unit cost (1 USD ~ 7 CNY) of different cathode materials (Orient Securities 31/07/23)	71
Figure 64: CATL battery system price trend (1 USD ~ 7 CNY) (Orient Securities 31/07/23).....	71
Figure 65: Shenzhen Dynanonic — Sol-gel processing flowsheet method	72
Figure 66: Shenzhen Dynanonic — Carbon coated LMFP processing flowsheet method	72
Figure 67: Shenzhen Dynanonic — LMFP cathode material product images	73
Figure 68: Skoland Technology — Solid-phase processing flowsheet method.....	74
Figure 69: Tianjin Skoland — M6P (LMFP coated NCM) composite material discharge curve.....	75
Figure 70: Tianjin Skoland — M6P (LMFP & NCM with LMFP coated NCM) composite material image.....	76
Figure 71: Litai Lithium — Co-precipitation processing flowsheet method	78
Figure 72: Litai lithium — LMFP precursor hypergravity rotating bed processing flowsheet method	78
Figure 73: Litai Lithium — LMFP cathode material, pure use (left) composite (right) images	79
Figure 74: Chuangpus — LMFP cathode material image	80
Figure 75: Hengchuang Nano — LMFP cathode material capacity retention indicators	81
Figure 76: Hengchuang Nano — LMFP cathode material capacity indicators	81
Figure 77: Hengchuang Nano — LMFP cathode material images	82
Figure 78: Tiannai Technology — Carbon nanotube product images	83
Figure 79 : Yuneng New Energy — LMFP product indicators and image	84
Figure 80: Dangsheng Technology — LMFP product indicators	85
Figure 81: Dangsheng Technology — LMFP product image	86
Figure 82: Wanrun New Energy — LMFP product indicators.....	87
Figure 83: Wanrun New Energy — LMFP product image	87
Figure 84: CATL — M3P battery material system	88
Figure 85: CATL — Patent applications related to LMFP cathode material (as of June 2023)	89
Figure 86: GOTION — L600 Astroinno battery cell.....	91
Figure 87: GOTION — Astroinno battery pack.....	91
Figure 88: BYD — LMFP related patent applications.....	92
Figure 89: CALB — OS high manganese lithium iron product indicators	94
Figure 90: Hubei Jinquan New Materials Co., Ltd — LMFP cathode material	94
Figure 91: China's NIU smart electric scooter F0 uses the TP-MAX LMFP battery	96
Figure 92: Total shipments of LMFP batteries forecast (2023E to 2030E).....	99

GOLDEN DRAGON CAPITAL LIMITED

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122

Email: brendan@goldendragoncapital.com

Website: www.goldendragoncapital.com

List of Tables

Table 1: Comparison of BYD e6 performance parameters	14
Table 2: Material properties of LMFP corresponding to different manganese to iron ratios	17
Table 3: Comparison of mainstream cathode materials	20
Table 4: Comparison of conductivity and lithium-ion diffusion coefficient in main cathode materials	25
Table 5: Relationship between the performance of LMFP and the manganese doping ratio	27
Table 6: Comparison and speculation on performance of different iron to manganese ratios	30
Table 7: LMFP cathode material principal production process flowsheets	31
Table 8: LMFP cathode material companies using the solid-phase method	31
Table 9: LMFP cathode material companies using the liquid-phase method	31
Table 10: Specific capacities of products produced by different preparation methods of core enterprises	34
Table 11: Comparison of LMFP solid phase processing methods	35
Table 12: Comparison of LMFP liquid phase processing methods	36
Table 13: LMFP theoretical dosage calculations	37
Table 14: LMFP cathode material companies using liquid phase method	38
Table 15: LMFP cathode material disadvantages and solutions	39
Table 16: LMFP cathode material modification methods and principles	39
Table 17: LMFP cathode material modification methods adopted by different companies	39
Table 18: LMFP company patents related to LMFP modification methods	40
Table 19: LMFP modification related patents	40
Table 20: Comparison of the first charge-discharge specific capacity of doped/undoped magnesium	48
Table 21: Discharge capacity (mAh/g) of Mg-doped/undoped LMFP at different rate performance	48
Table 22: Vanadium Doping Improves Conductivity	49
Table 23: Advantages of LMFP composite material	50
Table 24: Comparison of physical properties	51
Table 25: Composite battery comparison of safety testing	52
Table 26: Shenzhen Dynanonic Co., Ltd Nano-LMFP ternary composite material product indicators	53
Table 27: Compound modification method of major cathode companies	54
Table 28: Ronbay — LMFP-Ternary compound products	54
Table 29: Skoland — LMFP-Ternary compound products	54
Table 30: Comparison of electrochemical performance of different ratios	55
Table 31: Technical route of compound ternary in some companies	55
Table 32: Comparison of battery performance of different implementations/comparative examples	56
Table 33: Performance comparison of LMFP and NCM composite LMFP	57
Table 34: Difference between core-shell structure and concentration gradient	57
Table 35: Comparison of electrochemical performance with different/with and without core-shell structures	58
Table 36: Comparison of specific capacity of each group	58
Table 37: Liquid phase method unit cost calculation (Soochow Securities 16/08/23)	62
Table 38: Cash cost calculation of LMFP liquid phase method raw materials (Soochow Securities 16/08/23)	62
Table 39: Calculation of unit construction cost by liquid phase method (Soochow Securities 16/08/23)	63
Table 40: Solid phase method unit cost calculation (Soochow Securities 16/08/23)	63
Table 41: Calculation of unit construction cost using solid phase method (Soochow Securities 16/08/23)	63
Table 42: BOM cost calculation comparison of LFP and LMFP batteries (Soochow Securities 16/08/23)	64
Table 43: LMFP commercial application direction	65
Table 44: Commercial applications for LMFP batteries	65
Table 45: Operational status of LMFP cathode material companies in China	67
Table 46 : Operational status of LMFP battery companies in China	69
Table 47: Electric vehicle GOVA F0 power system parameters	69
Table 48: Chery EV sedan power system parameters	70
Table 49: Shenzhen Dynanonic — LMFP business progress	72
Table 50: Shenzhen Dynanonic — LMFP cathode material product introduction	73
Table 51: Shenzhen Dynanonic — Selected LMFP related patents	73
Table 52: Tianjin Skoland — LMFP business progress	74
Table 53: Tianjin Skoland — LMFP product indicators	75
Table 54: Tianjin Skoland Technology Co., Ltd — Selected LMFP related patents	76

GOLDEN DRAGON CAPITAL

Table 55: Litai Lithium — LMFP cathode material patents	78
Table 56: Litai Lithium — Selected LMFP related patents	79
Table 57: Chuangpus — LMFP cathode material patent	80
Table 58: Hengchuang Nano — LMFP cathode material indicators.....	80
Table 59: Tiannai Technology — LMFP business progress	82
Table 60: Yuneng New Energy — LMFP business progress	83
Table 61: Yuneng New Energy — LMFP Production Capacity Base	84
Table 62: Yuneng New Energy — LMFP product	84
Table 63: Dangsheng Technology — LMFP Business progress	85
Table 64: Dangsheng Technology — LMFP Product indicators.....	85
Table 65: Wanrun New Energy — LMFP cathode material product progress	86
Table 66: CATL — M3P battery	88
Table 67: CATL — Early LMFP related patents	89
Table 68: Selected CATL lithium manganese iron phosphate invention patents	89
Table 69: Gotion — L600 Astroinno LMFP battery.....	90
Table 70: Gotion — L600 Astroinno LMFP battery specifications	90
Table 71: BYD — Composite route patent	92
Table 72: BYD — Pure-use route patent.....	92
Table 73: BYD — Early LMFP related patents	92
Table 74: Selected BYD lithium manganese iron phosphate invention patents	93
Table 75: CALB — OS High-Mn LFP battery	93
Table 76: EVE Energy — LMFP cathode and battery	94
Table 77: Farasis Energy — LMFP battery	95
Table 78: Phylion Battery — LMFP battery	96
Table 79: Tianneng Battery — LMFP battery	96
Table 80: LMFP bus battery electrolyte.....	97
Table 81: LMFP base station energy storage battery electrolyte	97
Table 82: LMFP cathode material performance and economics trend forecast (2023E to 2030E)	98
Table 83: LMFP market penetration rate forecast (2023E to 2030E)	98
Table 84: LMFP cathode material market size forecast (2023E to 2030E)	99

GOLDEN DRAGON CAPITAL LIMITED

Address: 4th Floor, 9 Queen's Road Central, Central, Hong Kong, China

Phone: +852 4647 0122

Email: brendan@goldendragoncapital.com

Website: www.goldendragoncapital.com